

PROJECT ADDRESS
 Date of submission
 Date of plans
 Comments
TOTAL BASE BID

HOLIDAY INN EXPRESS
 3/28/2018
 10/30/2017
 Sheetrock estimate - Drywall, GWB Ceiling
 #REF!



SR #	DWG. NO.	DETAIL NO.	CSI NO.	DESCRIPTION	QTY.	WASTE	QTY. W/ WASTE	UNIT	UNIT COST	TOTAL COST
09 00 00 FINISHES										
DRYWALL ASSEMBLIES										
FIRST FLOOR										
TYPE M SHAFT WALL - 2HR										
1	A-301	A-104		2 Layers of type X GWB on both sides of wall as;	9216	10%	10,138	SF	#REF!	#REF!
				4'x8' GB Sheet			317	Sheets		
				500' Tape Roll			16	Rolls		
				Joint Compound			51	Gallons		
				1-1/4" Drywall Screws			54	Pounds		
2	A-301	A-104		Sound Insulation	2304	10%	2,534	SF	#REF!	#REF!
TYPE M SHAFT WALL - 1HR										
3	A-301	A-104		1 Layer of 5/8" fire rated GWB on both sides of wall as;	2400	10%	2,640	SF	#REF!	#REF!
				4'x8' GB Sheet			83	Sheets		
				500' Tape Roll			4	Rolls		
				Joint Compound			14	Gallons		
				1-1/4" Drywall Screws			14	Pounds		
4	A-301	A-104		Sound Insulation	1200	10%	1,320	SF	#REF!	#REF!
TYPE C INTERIOR BEARING WALL - UL U305 - 1HR										
5	A-301	A-104		1 Layer of 5/8" type X GWB on both sides of wall as;	7728	10%	8,501	SF	#REF!	#REF!
				4'x8' GB Sheet			266	Sheets		
				500' Tape Roll			13	Rolls		
				Joint Compound			43	Gallons		
				1-1/4" Drywall Screws			45	Pounds		
6	A-301	A-104		Accoustical Sealant each side	1,288	10%	1,417	LF	#REF!	#REF!
7	A-301	A-104		3" Mineral or glass fibre insulation	3,864	10%	4,250	SF	#REF!	#REF!
8	A-301	A-104		RC-2 Resilient furring channels @ 24" O.C	193	0%	193	EA.	#REF!	#REF!
TYPE D INTERIOR BEARING WALL - UL U305 - 1HR										
9	A-301	A-104		1 Layer of 5/8" type X GWB on both sides of wall as;	1248	10%	1,373	SF	#REF!	#REF!
				4'x8' GB Sheet			43	Sheets		
				500' Tape Roll			3	Rolls		
				Joint Compound			7	Gallons		
				1-1/4" Drywall Screws			8	Pounds		
10	A-301	A-104		1 Layer of 5/8" sound damping composite GWB as;	624	10%	686	SF	#REF!	#REF!
				4'x8' GB Sheet			22	Sheets		
				500' Tape Roll			2	Rolls		
				Joint Compound			4	Gallons		
				1-1/4" Drywall Screws			4	Pounds		
11	A-301	A-104		Accoustical Sealant each side	208	10%	229	LF	#REF!	#REF!
12	A-301	A-104		3" Mineral or glass fibre insulation	624	10%	686	SF	#REF!	#REF!
13	A-301	A-104		RC-2 Resilient furring channels @ 24" O.C	31	0%	31	EA.	#REF!	#REF!
TYPE A INTERIOR NON BEARING WALL										
14	A-301	A-104		1 Layer of 5/8" GWB on both sides of wall as;	192	10%	211	SF	#REF!	#REF!
				4'x8' GB Sheet			7	Sheets		
				500' Tape Roll			1	Rolls		
				Joint Compound			2	Gallons		
				1-1/4" Drywall Screws			2	Pounds		
TYPE H INTERIOR BEARING WALL - UL U308 - 2HR										
15	A-301	A-104		2 Layers of 5/8" GWB on both sides of wall as;	11280	10%	12,408	SF	#REF!	#REF!
				4'x8' GB Sheet			388	Sheets		
				500' Tape Roll			19	Rolls		
				Joint Compound			63	Gallons		
				1-1/4" Drywall Screws			66	Pounds		
16	A-301	A-104		Accoustical Sealant each side	940	10%	1,034	LF	#REF!	#REF!
17	A-301	A-104		3" Mineral or glass fibre insulation	2,820	10%	3,102	SF	#REF!	#REF!
TYPE B INTERIOR NON BEARING WALL										
18	A-301	A-104		1 Layer of 5/8" type X GWB on both sides of wall as;	8664	10%	9,530	SF	#REF!	#REF!
				4'x8' GB Sheet			298	Sheets		
				500' Tape Roll			15	Rolls		
				Joint Compound			48	Gallons		
				1-1/4" Drywall Screws			51	Pounds		